L Number	Hits	Search Text	DB	Time stamp
1	2	6507908.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 14:52
-	225	(key-cach$3) or (key adj cach$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:30
-	126	(key-cach$3) or (key adj cach$3) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:32
-	10	(key-cach$3) or (key adj cach$3) and (wireless) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:33
-	9	((key-cach$3) or (key adj cach$3) and (wireless)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:33
-	7	((key-cach$3) or (key adj cach$3)) and (wireless) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:34
-	3	((key-cach$3) or (key adj cach$3)) and (wireless) and (source adj address) and memory and header and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:35
-	3	((key-cach$3) or (key adj cach$3)) and (wireless) and (source adj address) and memory and (header and encryp$4)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:35
-	3	((key-cach$3) or (key adj cach$3)) and (wireless) and (source adj address) and memory and (header and encryp$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:49
-	7	((key-cach$3) or (key with cach$3)) and (wireless) and (source adj address) and memory and (header and encryp$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:47
-	0	((key-cach$3) or (key with cach$3)) and (wireless) and ((source adj address) with header) and memory and (header and encryp$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:40
-	14	((key-cach$3) or (key with cach$3)) and (source adj address) and memory and (header and encryp$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:47
-	0	((key-cach$3) or ((key or signature or value) with cach$3)) and ((packet or datagram or header) same (encrypt$4 and ("not" adj encrypt$4))) and (header and encryp$4) and ((source adj address) with cache)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:59

C:\APPS\EAST\Workspaces\09662991.wsp

-	0	((key-cach$3) or ((key or signature or value) with cach$3)) and ((packet or datagram or header) same (encrypt$4 and ("not" adj encrypt$4))) and (header and encryp$4) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:59
-	0	((key-cach$3) or ((key or signature or value) with cach$3)) and ((packet or datagram or header) same (encrypt$4 and ("not" adj encrypt$4))) and (header and encryp$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:59
-	0	((packet or datagram or header) same (encrypt$4 and ("not" adj encrypt$4))) and (header and encryp$4) and ((source adj address) with cache)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:01
-	0	((packet or datagram or header) same (encrypt$4)) and ((source adj address) with cache)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:03
-	2927	((packet or datagram or header) same (encrypt$4)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:01
-	0	((packet or datagram or header) same (encrypt$4 and ("not" adj encrypt$4))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:02
-	2927	((packet or datagram or header) same (encrypt$4)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:02
-	0	((packet or datagram or header) same (encrypt$4)) and ((source adj address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:03
-	95	((packet or datagram or header) same (encrypt$4)) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:04
-	9255	((key-cach$3) or ((key or signature or value) with cach$3))((packet or datagram or header) same (encrypt$4)) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:04
-	34	((key-cach$3) or ((key or signature or value) with cach$3)) and ((packet or datagram or header) same (encrypt$4)) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:47
-	565	address with cache with (fast$3 or quick$3) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:48
-	284	(address with cache with (fast$3 or quick$3) and @ad<20000915) and (determin$4 with address with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:50
-	102	(address with cache with (fast$3 or quick$3) and @ad<20000915) and ((determin$4 with address with cache) same (decryp$4) (payload or packet or datagram)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:55

C:\APPS\EAST\Workspaces\09662991.wsp

-	0	(address with cache with (fast$3 or quick$3) and @ad<20000915) and (((determin$4 or verify$4 or check$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp$4) with (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:09
-	0	(address with cache with (fast$3 or quick$3) and @ad<20000915) and (((determin$4 or verify$4 or check$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp$4 or decipher$4 or decod$4) with (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:09
-	0	(address with cache with (fast$3 or quick$3) and @ad<20000915) and (((determin$4 or verify$4 or check$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp$4 or decipher$4 or decod$4) same (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:10
-	1	(address with cache with (fast$3 or quick$3) and @ad<20000915) and (((determin$4 or verify$4 or check$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp$4 or decipher$4 or decod$4) and (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:10
-	187657	cach$4 and mobile or wireless or (cell adj phone) or (cellular adj phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:43
-	12336	cach$4 and (mobile or wireless or (cell adj phone) or (cellular adj phone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:43
-	1026	cach$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:44
-	72	cach$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone)) and ((source or origin) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:44
-	21	cach$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone)) and ((source or origin) adj address) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:54
-	2	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and (((source or origin) adj address) with cach$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:58
-	14	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and (((source or origin) adj address) with (cach$4 or memory)) and decrypt$4 and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:59
-	102	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and (((source or origin) adj address) with (cach$4 or memory)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:48

-	9	("5790548" | "5894479" | "5946615" | "6058431" | "6128298" | "6128664" | "6154839" | "6188899" | "6442616").PN.	USPAT	2004/01/09 17:11
-	0	ep1299807.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:48
-	0	ep1299807$.did	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:48
-	0	ep1299807$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:50
-	1	ep-1299807$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:38
-	0	200201367.URPN.	USPAT	2004/01/09 17:51
-	0	(source adj address) with "not" with memory with (drop$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:21
-	0	(source adj address) with "not" with (memory or cache) with (drop$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:21
-	0	(source adj address) with "not" with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 19:07
-	0	(address) with "not" with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	0	"not" with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	709	(memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	80	address with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	55	address with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:37
-	40	address with "not" or "miss$4" with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:25

-	0	address with ("not" or "miss$4") with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:25
-	2	5999629.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:37
-	0	ep-0876027$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	0	ep-0876027.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	0	ep-876027.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	2	ep-876027$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	0	((source adj address) or (access adj point) or station) with "not" with (memory or cache) with (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 19:08
-	0	((source adj address) or (access adj point) or station) with "not" with (memory or cache) same (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:09
-	59	((source adj address) or (access adj point) or station) with (memory or cache) same (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:11
-	8	((source adj address) or (access adj point) or station) with (cache) same (drop$4 or discard$4 or reject$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:17
-	104	((source adj address) or (access adj point) or station) with (cache) same (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:18
-	54	((source adj address)) with (cache) same (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:05
-	12	((source adj address) or (origin near address) or (incoming adj address)) with (cache) same key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:31
-	1	((source adj address) or (origin near address) or (incoming adj address)) with ((cache) or (local adj memory)) same encryption	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:21

-	1	((source adj address) or (origin near address) or (incoming adj address)) with ((cache) or (local adj memory)) same encrypt$4 and ((source adj address) or (origin near address) or (incoming adj address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:30
-	285	encrypt$4 and (hit with cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:30
-	126	encrypt$4 and (hit with cache) and ((source adj address) or (access adj point) or station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:33
-	16	encrypt$4 and (hit with cache) and ((source adj address) or (access adj point) or station) and ((source adj address) or (origin near address) or (incoming adj address)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:36
-	40538	cache same (main adj memory) or (system adj memory) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:36
-	11765	cache same ((main adj memory) or (system adj memory)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:37
-	656	cache same ((main adj memory) or (system adj memory)) and ((source adj address) or (origin near address) or (incoming adj address)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:38
-	401	cache same ((main adj memory) or (system adj memory)) and (((source adj address) or (origin near address) or (incoming adj address)) same (match$4 or compar$4 or determin$4 or correspond$4 or associat$4)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:39
-	134	cache same ((main adj memory) or (system adj memory)) and (((source adj address) or (origin near address) or (incoming adj address)) same (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) same (cache or (local adj memory))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:49
-	85	cache same ((main adj memory) or (system adj memory)) and (((source adj address) or (origin near address) or (incoming adj address)) same (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) same (cache or (local adj memory))) and (decrypt$4 or decod$4 or decipher$4)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:56
-	41	cache same ((main adj memory) or (system adj memory)) and (((source adj address)) same (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) same (cache or (local adj memory))) and (decrypt$4 or decod$4 or decipher$4)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:28
-	5	(key) with (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) with ((source adj address) or (origin near address) or (incoming adj address)) same (decrypt$4 or decod$4 or decipher$4)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:07

–	79	(cache) with (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) with ((source adj address) or (origin near address) or (incoming adj address)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:08
–	30	(cache) with (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) with ((source adj address)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:16
–	53	(key) with (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) with ((source adj address)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:33
–	0	6526506.URPN.	USPAT	2004/01/12 14:49
–	0	6526506.URPN.	USPAT	2004/01/12 14:49
–	18	("5299263" | "5313521" | "5515439" | "5604801" | "5726984" | "5850444" | "5875186" | "5889861" | "6016348" | "6047066" | "6052715" | "6075860" | "6097817" | "6101531" | "RE36946" | "6182214" | "6373946" | "6321095").PN.	USPAT	2004/01/12 14:49
–	64	wireless and cache and decrypt$4 and ((source adj address) or (access adj point)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:23
–	58	wireless and cache and decrypt$4 and ((source adj address) or (access adj point)) and entry and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:25
–	128	cache and decrypt$4 and ((source adj address) or (access adj point)) and entry and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:25
–	45	cache and decrypt$4 and ((source adj address) or (access adj point)) and entry and ((system adj memory)or (main adj memory)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:30
–	10	cache and decrypt$4 and ((source adj address) or (access adj point)) and (entry with cache) and ((system adj memory)or (main adj memory)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:32
–	57	(key or signature) with (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) with ((source adj address)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:35
–	4	((key or signature) with (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) with ((source adj address)) and @ad<20000915) not ((key) with (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) with ((source adj address)) and @ad<20000915)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:33
–	6	(key or signature) same (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) with ((source adj address)) same cache and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:36
–	11	(cache) with (match$4 or compar$4 or determin$4 or correspond$4 or associat$4) with ((source adj address)) and (cache same (drop$4 or discard$4 or fail$4)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/12 17:39

C:\APPS\EAST\Workspaces\09662991.wsp

-	19549652	(decrypt$4 with (payload or body or packet or datagram))@ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:40
-	19548522	(decrypt$4 with (payload or body or packet or datagram)) and (source adj address) same (match$4 or compar$4 or determin$4 or correspond$4 or associat$4 or table) same (signature or key) @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:42
-	18	(decrypt$4 with (payload or body or packet or datagram)) and (source adj address) same (match$4 or compar$4 or determin$4 or correspond$4 or associat$4 or table) same (signature or key) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:43
-	187	((source adj address) with (cache))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:16
-	26	((source adj address) with (cache) with entry)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:16
-	127	cache same ((main adj memory) or (system adj memory)) and decrypt$4 and (table or list) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:50
-	26	cache same ((main adj memory) or (system adj memory)) and decrypt$4 and (table or list) and (address same key) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:50

C:\APPS\EAST\Workspaces\09662991.wsp